

Classification Report

BASEC Client xxx

Report No.

LCPR1413-13 Classification Issue 2

Numer of pages in this Report: 6

Issue Date 7 July 2017

Items Tested 1 sample of coaxial cable

Specification(s) BS EN 13501-6:2014







5950

Authorised by: I McGuinness

Laboratory Manager

7 July 2017 Issue Date:

> This classification Report does not represent type approval or certification of the product. This Classification Report shall not be reproduced except in full, without written approval of the

laboratory.

British Approvals Service for Cables Presley House Presley Way Crownhill Milton Keynes

MK8 0ES UK T: 01908 267300

F: 01908 267255

E: mail@basec.org.uk W: www.basec.org.uk Notified Body No. 2661

BASEC Reference: LF189.002 issue date 12/07/2016 Introduction

This classification report defines the classification assigned to the coaxial cable, in accordance with the procedures given in BS EN 13501-6:2014



CLASSIFICATION OF REACTION TO FIRE FOR ELECTRIC CABLES IN ACCORDANCE WITH BS EN 13501-6:2014

Sponsor: xxx

Prepared for: , Linglong Industry Zone,

Lin'An City, Zhejiang Province, China

Prepared by: British Approvals services for Cables, Presley House, Presley Way, Crownhill

Milton Keynes, MK8 0ES, United Kingdom

Notified Body No. 2661

Product Name: 23VATC TWIN - PVC BC
Classification Report No. LCPR1413-13 Classification

Issue number: 2

Date of Issue: 7 July 2017

This classification report consists of 6 pages and may only be used or reproduced in its entirety.

BASEC Reference: LF189.002 issue date 12/07/2016	Report Issue Date: 26/07/17	Page 2 of 6
--	-----------------------------	-------------

Details of classified product

General

This classification report defines the classification for the coaxial cable, in accordance with the procedures given in BS EN 13501-6:2014.

Product description

The coaxial cable family, 23VATC TWIN - PVC BC, is as described in Sample details below.

Traceability

The test samples submitted by the manufacture and received on 24 May 2017.

Sample details

Parameter	Details
Test sponsor	xxx
Contact address	Linglong Industry Zone, Lin'An City, Zhejiang Province, China
Cables submitte for test	•

	2 x (0.8±0.02mm Bare Copper Conductor, 3.5±0.1mm				
23VATC TWIN - PVC BC	Foam PE Insulation, Fo Cable Dimensions = 10	,			
BASEC Reference: LF189.002 issue date 12/07/2016	Report Issue Date: 26/07/17	Page 3 of 6			

Reports & results in support of this classification

Reports

Name of Laboratory	Name of test sponsor	Test reports Nos.	Test method/field of application rules
UL-CCIC	xxx	LCPR1413	BS EN 60332-1-2:2014 +
Company Limited	Co Ltd		A11:2016

Results

			Continuous Compliance with			
Cable	Parameter	No. tests runs			-	•
23VATC TWIN - PVC BC	Н	1	122mm		≤ 425mm = E _{ca} Complia	nt
BASEC Reference: LF189.002 issue date 12/07/2016	Report Issue [Date: 26	6/07/17 Page 4 of 6			

Classification and field of application Reference of classification

This classification has been carried out in accordance with BS EN 13501-6:2014 Classification The coaxial cable in relation to fire behaviour is classifield:

 E_{ca}

The format of the reaction to fire classification for electric cables is:

Fire Behaviour		Smoke Pr	oduction		Flaming	Droplets		Acid	dity
E _{ca}	-	-	-	,	-	-	,	-	-

Reaction to fire classification: Eca

The classification assigned to the products in this report is appropriate to a declaration of conformity by the manufacturer within the context of system 3 attestation of conformity and CE marking under the Construction Products Regulation.

The test laboratory has, therefore, played no part in sampling the product for the test, although it holds appropriate references, supplied by the manufacturer, to provide for traceability of samples tested.

BASEC Reference: LF189.002 issue date 12/07/2016	Report Issue Date: 26/07/17	Page 5 of 6
--	-----------------------------	-------------

Field of application

This classification is valid for the coaxial cable described in 'Sample details' and listed below

Brand Name	Cable Identification	Conductor Size	Reaction to Fire Classification
Zircon CU122 LSZH Twin	23VATC TWIN - PVC BC	0.502mm²	E _{ca}

This classification is valid for all end-use applications

Limitations

This classification will be valid whilst;

- The test methods remain unchanged,
- The product standard or technical approval remains unchanged,
- Constructional or material modifications do not exceed limits of the field of application.

The manufacturer has made a declaration, which is held on file, which the product placed in the marketplace, named in product description section of this report and produced at the manufacturing plant listed therein, is exactly the same as the product that was tested.

This classification document does not represent type approval or certification of the product. - END OFF REPORT ---

BASEC Reference: LF189.002 issue date 12/07/2016

Report Issue Date: 26/07/17

Page 6 of 6